

| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3600 | 69 | 23 | 39 | 52 | 59 | 65 | 64 | 59 | 48 | |
| 2850 | 63 | 17 | 33 | 46 | 53 | 59 | 58 | 53 | 42 | |
| 1800 | 53 | 7 | 23 | 36 | 43 | 49 | 48 | 43 | 32 | |
| 1420 | 48 | 2 | 18 | 31 | 38 | 44 | 43 | 38 | 27 | |
| 950 | 40 | 0 | 10 | 23 | 30 | 36 | 35 | 30 | 19 | |
| 900 | 38 | 0 | 8 | 21 | 28 | 34 | 33 | 28 | 17 | |
| 710 | 33 | 0 | 3 | 16 | 23 | 29 | 28 | 23 | 12 | |


Editie 2026 • Wijzigingen voorbehouden • Copyright by COLASIT AG, Spiez

COLASIT Holland B.V.
 Kunststof apparatenbouw • Larenweg 56 • NL-5234 KC 's-Hertogenbosch
 Tel. +31 (0)73 641 83 15 • verkoop@colasit.nl

www.colasit.nl

Competence in plastics. Worldwide.






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3600 | 77 | 31 | 47 | 60 | 66 | 73 | 72 | 66 | 55 | |
| 2850 | 71 | 25 | 41 | 54 | 60 | 67 | 66 | 60 | 49 | |
| 1800 | 61 | 15 | 31 | 44 | 50 | 57 | 56 | 50 | 39 | |
| 1420 | 56 | 10 | 26 | 39 | 45 | 52 | 51 | 45 | 34 | |
| 950 | 48 | 2 | 18 | 31 | 37 | 44 | 43 | 37 | 26 | |
| 900 | 46 | 0 | 16 | 29 | 35 | 42 | 41 | 35 | 24 | |
| 710 | 41 | 0 | 11 | 24 | 30 | 37 | 36 | 30 | 19 | |


Editie 2026 • Wijzigingen voorbehouden • Copyright by COLASIT AG, Spiez






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3600 | 80 | 34 | 50 | 62 | 69 | 76 | 75 | 69 | 58 | |
| 2850 | 74 | 28 | 44 | 56 | 63 | 70 | 69 | 63 | 52 | |
| 1800 | 64 | 18 | 34 | 46 | 53 | 60 | 59 | 53 | 42 | |
| 1420 | 59 | 13 | 29 | 41 | 48 | 55 | 54 | 48 | 37 | |
| 950 | 51 | 5 | 21 | 33 | 40 | 47 | 46 | 40 | 29 | |
| 900 | 49 | 3 | 19 | 31 | 38 | 45 | 44 | 38 | 27 | |
| 710 | 44 | 0 | 14 | 26 | 33 | 40 | 39 | 33 | 22 | |






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3600 | 83 | 39 | 56 | 65 | 70 | 79 | 80 | 70 | 58 | |
| 2850 | 77 | 33 | 50 | 59 | 64 | 73 | 74 | 64 | 52 | |
| 1800 | 67 | 23 | 40 | 49 | 54 | 63 | 64 | 54 | 42 | |
| 1420 | 62 | 18 | 35 | 44 | 49 | 58 | 59 | 49 | 37 | |
| 950 | 54 | 10 | 27 | 36 | 41 | 50 | 51 | 41 | 29 | |
| 710 | 47 | 3 | 20 | 29 | 34 | 43 | 44 | 34 | 22 | |






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3200 | 83 | 44 | 59 | 68 | 72 | 79 | 79 | 70 | 58 | |
| 2850 | 80 | 41 | 56 | 65 | 69 | 76 | 76 | 67 | 55 | |
| 1600 | 68 | 29 | 44 | 53 | 57 | 64 | 64 | 55 | 43 | |
| 1420 | 65 | 26 | 41 | 50 | 54 | 61 | 61 | 52 | 40 | |
| 950 | 57 | 18 | 33 | 42 | 46 | 53 | 53 | 44 | 32 | |
| 710 | 50 | 11 | 26 | 35 | 39 | 46 | 46 | 37 | 25 | |






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 3000 | 86 | 50 | 65 | 73 | 76 | 82 | 81 | 73 | 61 | |
| 2850 | 84 | 48 | 63 | 71 | 74 | 80 | 79 | 71 | 59 | |
| 1420 | 69 | 33 | 48 | 56 | 59 | 65 | 64 | 56 | 44 | |
| 950 | 61 | 25 | 40 | 48 | 51 | 57 | 56 | 48 | 36 | |
| 710 | 54 | 18 | 33 | 41 | 44 | 50 | 49 | 41 | 29 | |






| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 2550 | 84 | 53 | 65 | 74 | 76 | 80 | 78 | 71 | 60 | |
| 1420 | 71 | 40 | 52 | 61 | 63 | 67 | 65 | 58 | 47 | |
| 1200 | 68 | 37 | 49 | 58 | 60 | 64 | 62 | 55 | 44 | |
| 950 | 63 | 32 | 44 | 53 | 55 | 59 | 57 | 50 | 39 | |
| 710 | 56 | 25 | 37 | 46 | 48 | 52 | 50 | 43 | 32 | |



| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 2300 | 87 | 60 | 71 | 80 | 80 | 82 | 79 | 73 | 63 | |
| 1420 | 76 | 49 | 60 | 69 | 69 | 71 | 68 | 62 | 52 | |
| 1200 | 73 | 46 | 57 | 66 | 66 | 68 | 65 | 59 | 49 | |
| 950 | 68 | 41 | 52 | 61 | 61 | 63 | 60 | 54 | 44 | |
| 710 | 61 | 34 | 45 | 54 | 54 | 56 | 53 | 47 | 37 | |





| Geluidsniveau LwA dB(A) | | Geluidsdruk LpA = LwA - 7 dB(A) | | | | | | | | op 1 m |
|-------------------------|-------|---------------------------------|-----|-----|-----|------|------|------|------|--------|
| ISO 5136 | | | | | | | | | | |
| n | LwA | Hz | | | | | | | | |
| min ⁻¹ | dB(A) | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | |
| 2050 | 87 | 53 | 67 | 76 | 80 | 84 | 78 | 71 | 62 | |
| 1420 | 79 | 45 | 59 | 68 | 72 | 76 | 70 | 63 | 54 | |
| 1000 | 72 | 38 | 52 | 61 | 65 | 69 | 63 | 56 | 47 | |
| 950 | 71 | 37 | 51 | 60 | 64 | 68 | 62 | 55 | 46 | |
| 710 | 64 | 30 | 44 | 53 | 57 | 61 | 55 | 48 | 39 | |
| 630 | 62 | 28 | 42 | 51 | 55 | 59 | 53 | 46 | 37 | |

